

Supplementary Table SI. MI-related deaths in young adults, Stratified by Sex and Race in the United States, 1999 to 2023

Year	Deaths						
	Overall	Female	Male	NH Black or African American	NH White	Hispanic or Latino	NH Others
1999	4732	1317	3415	968	3379	261	106
2000	4566	1233	3333	925	3250	265	110
2001	4674	1298	3376	960	3312	259	126
2002	4658	1328	3330	916	3313	301	115
2003	4614	1299	3315	938	3243	312	108
2004	4342	1215	3127	851	3056	309	116
2005	4222	1167	3055	861	2901	324	134
2006	4139	1161	2978	802	2905	315	106
2007	3802	1095	2707	744	2633	294	124
2008	3635	1054	2581	780	2431	300	118
2009	3376	983	2393	693	2297	258	121
2010	3252	943	2309	667	2184	270	125
2011	3254	919	2335	660	2183	290	116
2012	3287	972	2315	671	2180	289	139
2013	3108	902	2206	661	2011	303	124
2014	3056	933	2123	631	1996	305	113
2015	3107	969	2138	642	1978	330	145

2016	2950	880	2070	678	1826	307	135
2017	3000	913	2087	678	1812	365	139
2018	2999	908	2091	709	1801	340	147
2019	2947	894	2053	732	1690	365	152
2020	3552	1091	2461	855	1998	497	196
2021	3874	1172	2702	987	2120	552	185
2022	3419	1045	2374	867	1931	431	151
2023	2917	892	2025	723	1629	388	152

SupplementaryTable SII. Annual percent change (APC) of MI-related age-adjusted mortality rates per 100,000 in young adults in the United States, 1999 to 2023

Year Interval	APC (95% CI)
Overall	
1999–2003	0.16 (-1.25 to 2.98)
2003–2009	-4.21* (95% CI: -6.34 to -3.30)
2009–2018	-1.80* (-2.55 to -0.55)
2018–2021	8.15* (5.41–9.80)
2021–2023	-13.36* (-16.46 to -10.48)
Male	
1999–2003	0.26 (-1.13 to 2.89)
2003–2009	4.36* (-6.47 to -3.47)
2009–2018	-2.20* (-2.90 to -0.82)
2018–2021	7.99* (5.36–9.65)
2021–2023	-13.37* (-16.54 to -10.54)
Female	
1999–2018	-2.09* (-2.66 to -1.62)
2018–2021	9.24 (-2.19 to 12.48)
2021–2023	-11.89 (-18.87 to 0.58)
NH Black or African American	
1999–2014	-2.91 (95% CI: -5.09 to 1.56)
2014–2018	1.20 (95% CI: -5.16 to 3.57)

2018–2021	11.16* (95% CI: 6.43–14.81)
2021–2023	-13.50* (95% CI: -18.73 to -7.56)
NH White	
1999–2003	0.48 (95% CI: -1.46 to 4.93)
2003–2018	-2.68* (-3.78 to -2.38)
2018–2021	5.89* (2.09–8.17)
2021–2023	-11.16* (-15.89 to -5.55)
Hispanic or Latino	
1999–2005	0.23 (95% CI: -1.74 to 5.93)
2005–2009	-7.78* (95% CI: -12.03 to -3.89)
2009–2018	0.91 (-1.06 to 3.14)
2018–2021	15.57* (95% CI: 10.52–19.11)
2021–2023	-17.05* (95% CI: -22.45 to -11.68)
NH Others	
1999–2017	-1.35* (95% CI: -3.48 to -0.53)
2017–2020	10.02* (95% CI: 0.83–14.62)
2020–2023	-11.46* (-21.83 to -4.78)
Northeast	
1999–2017	-3.59* (95% CI: -4.60 to -3.13)
2017–2023	1.65 (95% CI: -1.61 to 9.80);
Midwest	
1999–2018	-2.53* (95% CI: -2.98 to -2.21)
2018–2021	6.62 (95% CI: -1.85 to 9.27)

2021–2023	-10.10* (95% CI: -15.73 to -0.91);
South	
1999–2005	-0.04 (95% CI: -3.44 to 3.90)
2005–2009	-6.14 (95% CI: -9.27 to -1.82)
2009–2017	-1.63 (95% CI: 0.65 to 4.77)
2017–2021	5.38* (95% CI: 1.70–7.55)
2021–2023	-13.59* (95% CI: -19.83 to -6.69)
West	
1999–2018	-2.20* (95% CI: -2.69 to -1.82)
2018–2021	12.31* (95% CI: 6.69–15.47)
2021–2023	-15.42* (95% CI: -21.49 to -9.08)
Urban	
1999–2003	-0.09 (95% CI: -1.53 to 2.27);
2005–2010	4.52* (95% CI: 6.50 to -3.84)
2010–2018	-1.63* (95% CI: 2.64 to -0.46)
2018–2020	8.97 (95% CI: 4.45 to 11.71)
Rural	
1999–2020	-1.16* (95% CI: -1.66 to -0.68)

Supplementary Table SIII. Overall and Sex-Stratified MI-related Age-Adjusted Mortality
Rates per 100,000 in young adults in the United States, 1999 to 2023

Year	Age-Adjusted Rate (95% CI)		
	Male	Female	Overall
1999	5.59 (5.4 - 5.78)	2.16 (2.04 - 2.28)	3.87 (3.76 - 3.98)
2000	5.45 (5.26 - 5.63)	2.02 (1.91 - 2.14)	3.77 (3.66 - 3.88)
2001	5.54 (5.35 - 5.72)	2.15 (2.04 - 2.27)	3.83 (3.72 - 3.94)
2002	5.55 (5.36 - 5.74)	2.2 (2.08 - 2.32)	3.84 (3.73 - 3.95)
2003	5.54 (5.35 - 5.73)	2.16 (2.04 - 2.28)	3.84 (3.73 - 3.95)
2004	5.24 (5.06 - 5.42)	2.02 (1.9 - 2.13)	3.64 (3.54 - 3.75)
2005	5.17 (4.99 - 5.36)	1.96 (1.84 - 2.07)	3.54 (3.44 - 3.65)
2006	5.06 (4.88 - 5.24)	1.98 (1.87 - 2.09)	3.47 (3.36 - 3.58)
2007	4.62 (4.45 - 4.8)	1.88 (1.76 - 1.99)	3.22 (3.11 - 3.32)
2008	4.48 (4.3 - 4.65)	1.79 (1.69 - 1.9)	3.14 (3.03 - 3.24)
2009	4.19 (4.02 - 4.36)	1.69 (1.59 - 1.8)	2.92 (2.82 - 3.02)
2010	4.05 (3.88 - 4.21)	1.63 (1.52 - 1.73)	2.82 (2.72 - 2.92)
2011	4.12 (3.95 - 4.28)	1.63 (1.52 - 1.73)	2.89 (2.79 - 2.99)
2012	4.11 (3.94 - 4.28)	1.68 (1.58 - 1.79)	2.91 (2.81 - 3.01)
2013	3.89 (3.73 - 4.06)	1.55 (1.45 - 1.65)	2.74 (2.64 - 2.83)
2014	3.76 (3.6 - 3.92)	1.63 (1.53 - 1.74)	2.68 (2.58 - 2.77)
2015	3.75 (3.59 - 3.91)	1.69 (1.58 - 1.8)	2.71 (2.61 - 2.8)
2016	3.65 (3.49 - 3.81)	1.55 (1.45 - 1.66)	2.6 (2.51 - 2.7)

2017	3.61 (3.46 - 3.77)	1.58 (1.48 - 1.69)	2.6 (2.51 - 2.69)
2018	3.58 (3.42 - 3.73)	1.51 (1.42 - 1.61)	2.59 (2.5 - 2.69)
2019	3.51 (3.35 - 3.66)	1.51 (1.41 - 1.61)	2.53 (2.44 - 2.62)
2020	4.14 (3.98 - 4.31)	1.84 (1.73 - 1.95)	2.99 (2.89 - 3.09)
2021	4.4 (4.23 - 4.56)	1.9 (1.79 - 2.01)	3.2 (3.1 - 3.3)
2022	3.85 (3.69 - 4)	1.73 (1.62 - 1.83)	2.81 (2.71 - 2.9)
2023	3.28 (3.13 - 3.42)	1.48 (1.38 - 1.57)	2.38 (2.29 - 2.46)

Supplementary Table SIV. MI-related Age-Adjusted Mortality Rates per 100,000 in young adults, Stratified by Race in the United States, 1999 to 2023

	Age-Adjusted Rate (95% CI)			
Year	NH Black or African American	NH White	Hispanic or Latino	NH Others
1999	6.38 (5.98 - 6.79)	3.92 (3.78 - 4.05)	1.81 (1.58 - 2.03)	1.68 (1.36 - 2)
2000	6.05 (5.66 - 6.44)	3.81 (3.68 - 3.94)	1.77 (1.55 - 1.98)	1.74 (1.41 - 2.06)
2001	6.23 (5.84 - 6.63)	3.94 (3.8 - 4.07)	1.61 (1.42 - 1.81)	1.91 (1.57 - 2.24)
2002	5.98 (5.6 - 6.37)	3.99 (3.85 - 4.12)	1.84 (1.63 - 2.05)	1.7 (1.39 - 2.01)
2003	6.18 (5.78 - 6.57)	4.02 (3.88 - 4.15)	1.84 (1.63 - 2.04)	1.51 (1.22 - 1.8)
2004	5.56 (5.18 - 5.93)	3.83 (3.69 - 3.97)	1.74 (1.54 - 1.93)	1.58 (1.29 - 1.87)
2005	5.66 (5.28 - 6.04)	3.73 (3.6 - 3.87)	1.8 (1.6 - 2)	1.8 (1.49 - 2.11)
2006	5.32 (4.95 - 5.69)	3.79 (3.66 - 3.93)	1.62 (1.44 - 1.8)	1.37 (1.1 - 1.63)
2007	4.92 (4.56 - 5.27)	3.51 (3.37 - 3.64)	1.48 (1.31 - 1.66)	1.56 (1.28 - 1.83)
2008	5.14 (4.77 - 5.5)	3.33 (3.19 - 3.46)	1.51 (1.34 - 1.68)	1.51 (1.24 - 1.78)
2009	4.62 (4.28 - 4.97)	3.18 (3.05 - 3.31)	1.22 (1.07 - 1.37)	1.48 (1.21 - 1.74)
2010	4.5 (4.15 - 4.84)	3.14 (3.01 - 3.27)	1.25 (1.1 - 1.41)	1.52 (1.25 - 1.79)
2011	4.46 (4.12 - 4.8)	3.18 (3.05 - 3.32)	1.35 (1.19 - 1.5)	1.4 (1.14 - 1.65)
2012	4.51 (4.17 - 4.85)	3.18 (3.04 - 3.31)	1.33 (1.17 - 1.48)	1.58 (1.32 - 1.85)
2013	4.37 (4.03 - 4.71)	3 (2.87 - 3.13)	1.37 (1.21 - 1.52)	1.38 (1.13 - 1.62)
2014	4.17 (3.84 - 4.5)	3 (2.87 - 3.14)	1.33 (1.18 - 1.49)	1.23 (1 - 1.46)
2015	4.2 (3.88 - 4.53)	2.96 (2.83 - 3.09)	1.4 (1.25 - 1.56)	1.55 (1.3 - 1.81)

2016	4.43 (4.09 - 4.76)	2.76 (2.63 - 2.88)	1.29 (1.14 - 1.43)	1.42 (1.18 - 1.66)
2017	4.34 (4.01 - 4.67)	2.79 (2.66 - 2.92)	1.5 (1.35 - 1.66)	1.45 (1.21 - 1.69)
2018	4.51 (4.17 - 4.84)	2.71 (2.59 - 2.84)	1.36 (1.21 - 1.51)	1.45 (1.22 - 1.69)
2019	4.62 (4.29 - 4.96)	2.53 (2.41 - 2.65)	1.51 (1.35 - 1.66)	1.5 (1.26 - 1.74)
2020	5.28 (4.92 - 5.64)	2.99 (2.86 - 3.12)	2.01 (1.83 - 2.19)	1.91 (1.64 - 2.18)
2021	6.14 (5.75 - 6.53)	3.14 (3 - 3.27)	2.15 (1.97 - 2.33)	1.68 (1.44 - 1.93)
2022	5.3 (4.94 - 5.65)	2.85 (2.72 - 2.98)	1.69 (1.53 - 1.86)	1.32 (1.11 - 1.53)
2023	4.45 (4.12 - 4.78)	2.42 (2.3 - 2.54)	1.54 (1.39 - 1.69)	1.3 (1.09 - 1.51)

Supplementary Table SV. MI-related Age-Adjusted Mortality Rates per 100,000 in young adults, Stratified by States in the United States, 1999 to 2023

State	Age-Adjusted Rate (95% CI)	
	1999-2020	2021-2023
Alabama	7.1 (6.83 - 7.37)	5.22 (4.6 - 5.84)
Alaska	1.63 (1.31 - 1.95)	Unreliable (0.92 - 2.7)
Arizona	1.73 (1.62 - 1.85)	1.67 (1.38 - 1.96)
Arkansas	12.86 (12.4 - 13.33)	13.36 (12.09 - 14.63)
California	1.66 (1.62 - 1.71)	1.69 (1.57 - 1.81)
Colorado	1.66 (1.54 - 1.78)	1.58 (1.29 - 1.87)
Connecticut	1.45 (1.31 - 1.58)	1.17 (0.84 - 1.57)
Delaware	2.28 (1.93 - 2.64)	Unreliable (1.01 - 2.7)
District of Columbia	2.02 (1.65 - 2.4)	Unreliable (0.74 - 2.37)
Florida	2.6 (2.52 - 2.68)	2.4 (2.2 - 2.6)
Georgia	3.33 (3.2 - 3.45)	3.24 (2.91 - 3.56)
Hawaii	2.35 (2.07 - 2.64)	Unreliable (0.71 - 1.85)
Idaho	4.34 (3.97 - 4.71)	3.54 (2.78 - 4.44)
Illinois	3.07 (2.97 - 3.18)	2.8 (2.52 - 3.08)
Indiana	4.74 (4.56 - 4.93)	3.88 (3.42 - 4.34)
Iowa	2.94 (2.72 - 3.16)	1.9 (1.46 - 2.43)
Kansas	2.56 (2.35 - 2.77)	2.3 (1.8 - 2.89)
Kentucky	8.41 (8.1 - 8.71)	8.24 (7.42 - 9.07)

Louisiana	6.66 (6.4 - 6.92)	4.97 (4.35 - 5.58)
Maine	2.46 (2.17 - 2.76)	2.11 (1.42 - 3.01)
Maryland	2.31 (2.18 - 2.44)	1.73 (1.42 - 2.04)
Massachusetts	1.56 (1.46 - 1.67)	1.05 (0.83 - 1.31)
Michigan	3.04 (2.92 - 3.16)	2.52 (2.21 - 2.83)
Minnesota	1.6 (1.48 - 1.71)	1.27 (1.01 - 1.57)
Mississippi	10.01 (9.61 - 10.42)	15.25 (13.87 - 16.63)
Missouri	6.02 (5.8 - 6.24)	5.24 (4.69 - 5.79)
Montana	2.28 (1.94 - 2.63)	2.37 (1.59 - 3.41)
Nebraska	2.67 (2.4 - 2.93)	2.15 (1.58 - 2.87)
Nevada	1.98 (1.8 - 2.16)	1.51 (1.13 - 1.97)
New Hampshire	1.87 (1.62 - 2.13)	1.64 (1.04 - 2.46)
New Jersey	2.27 (2.16 - 2.37)	1.66 (1.41 - 1.91)
New Mexico	2.12 (1.9 - 2.35)	2.3 (1.72 - 3.02)
New York	2.02 (1.96 - 2.09)	1.66 (1.49 - 1.84)
North Carolina	3.05 (2.93 - 3.17)	2.89 (2.58 - 3.21)
North Dakota	3.23 (2.74 - 3.72)	Unreliable (1.26 - 3.35)
Ohio	4.02 (3.89 - 4.14)	3.37 (3.04 - 3.7)
Oklahoma	3.59 (3.37 - 3.81)	3.1 (2.57 - 3.63)
Oregon	1.6 (1.46 - 1.73)	1.78 (1.42 - 2.19)
Pennsylvania	3.3 (3.18 - 3.41)	2.38 (2.12 - 2.64)
Rhode Island	2.43 (2.1 - 2.76)	1.66 (1.01 - 2.56)
South Carolina	5.59 (5.35 - 5.83)	4.47 (3.9 - 5.03)

South Dakota	5.65 (5.06 - 6.24)	8.34 (6.6 - 10.39)
Tennessee	6.22 (6.01 - 6.43)	4.91 (4.41 - 5.42)
Texas	3.42 (3.34 - 3.49)	2.94 (2.76 - 3.12)
Utah	1.45 (1.29 - 1.61)	1.68 (1.29 - 2.15)
Vermont	1.63 (1.3 - 2.03)	Suppressed
Virginia	2.93 (2.8 - 3.06)	2.35 (2.04 - 2.65)
Washington	1.98 (1.86 - 2.09)	1.94 (1.65 - 2.22)
West Virginia	5.24 (4.86 - 5.61)	3.93 (3.06 - 4.96)
Wisconsin	3.02 (2.86 - 3.18)	2.59 (2.18 - 2.99)
Wyoming	4.41 (3.78 - 5.04)	3.91 (2.53 - 5.77)

Supplementary Table SVI. MI-related Age-Adjusted Mortality Rates per 100,000 in young adults, Stratified by Census Region in the United States, 1999 to 2023

Census Region	Year	Age-Adjusted Rate (95% CI)
Northeast		
Northeast	1999	2.87 (2.65 - 3.08)
Northeast	2000	2.97 (2.75 - 3.19)
Northeast	2001	3.02 (2.8 - 3.25)
Northeast	2002	2.9 (2.68 - 3.12)
Northeast	2003	2.83 (2.61 - 3.05)
Northeast	2004	2.67 (2.46 - 2.88)
Northeast	2005	2.43 (2.22 - 2.63)
Northeast	2006	2.43 (2.22 - 2.63)
Northeast	2007	2.43 (2.22 - 2.64)
Northeast	2008	2.35 (2.14 - 2.55)
Northeast	2009	2.14 (1.94 - 2.33)
Northeast	2010	1.84 (1.66 - 2.03)
Northeast	2011	1.91 (1.72 - 2.1)
Northeast	2012	2.09 (1.89 - 2.29)
Northeast	2013	1.96 (1.77 - 2.16)
Northeast	2014	1.71 (1.52 - 1.89)
Northeast	2015	1.81 (1.62 - 2)
Northeast	2016	1.71 (1.52 - 1.89)

Northeast	2017	1.55 (1.38 - 1.73)
Northeast	2018	1.48 (1.31 - 1.66)
Northeast	2019	1.63 (1.44 - 1.81)
Northeast	2020	1.91 (1.71 - 2.1)
Northeast	2021	1.8 (1.62 - 1.99)
Northeast	2022	1.8 (1.61 - 1.99)
Northeast	2023	1.63 (1.45 - 1.8)
Midwest		
Midwest	1999	4.39 (4.14 - 4.63)
Midwest	2000	4.26 (4.01 - 4.5)
Midwest	2001	4.49 (4.24 - 4.74)
Midwest	2002	4.06 (3.82 - 4.3)
Midwest	2003	4.1 (3.85 - 4.34)
Midwest	2004	4.01 (3.77 - 4.25)
Midwest	2005	3.84 (3.6 - 4.08)
Midwest	2006	3.89 (3.64 - 4.13)
Midwest	2007	3.53 (3.3 - 3.76)
Midwest	2008	3.43 (3.2 - 3.66)
Midwest	2009	3.3 (3.07 - 3.53)
Midwest	2010	3.28 (3.05 - 3.52)
Midwest	2011	3.3 (3.06 - 3.53)
Midwest	2012	3.09 (2.86 - 3.31)
Midwest	2013	3.07 (2.84 - 3.29)

Midwest	2014	2.97 (2.74 - 3.19)
Midwest	2015	3.1 (2.88 - 3.33)
Midwest	2016	2.86 (2.64 - 3.08)
Midwest	2017	2.94 (2.71 - 3.16)
Midwest	2018	2.93 (2.71 - 3.15)
Midwest	2019	2.67 (2.46 - 2.88)
Midwest	2020	3.1 (2.87 - 3.32)
Midwest	2021	3.35 (3.12 - 3.58)
Midwest	2022	3.1 (2.88 - 3.32)
Midwest	2023	2.63 (2.43 - 2.84)
South		
South	1999	5.18 (4.96 - 5.39)
South	2000	4.89 (4.68 - 5.09)
South	2001	5.02 (4.81 - 5.23)
South	2002	5.32 (5.1 - 5.54)
South	2003	5.28 (5.06 - 5.49)
South	2004	4.91 (4.7 - 5.12)
South	2005	4.99 (4.77 - 5.2)
South	2006	4.95 (4.74 - 5.16)
South	2007	4.36 (4.16 - 4.55)
South	2008	4.25 (4.05 - 4.44)
South	2009	3.89 (3.7 - 4.08)
South	2010	3.82 (3.64 - 4.01)

South	2011	3.82 (3.63 - 4)
South	2012	3.93 (3.74 - 4.12)
South	2013	3.63 (3.44 - 3.81)
South	2014	3.79 (3.61 - 3.98)
South	2015	3.6 (3.42 - 3.78)
South	2016	3.53 (3.35 - 3.71)
South	2017	3.6 (3.42 - 3.78)
South	2018	3.53 (3.35 - 3.7)
South	2019	3.47 (3.3 - 3.64)
South	2021	4.45 (4.26 - 4.64)
South	2022	3.74 (3.56 - 3.91)
South	2023	3.17 (3 - 3.33)
West		
West	1999	2.14 (1.96 - 2.31)
West	2000	2.07 (1.9 - 2.24)
West	2001	2.09 (1.92 - 2.26)
West	2002	2.14 (1.96 - 2.31)
West	2003	2.21 (2.03 - 2.39)
West	2004	2.09 (1.92 - 2.26)
West	2005	2.02 (1.86 - 2.19)
West	2006	1.77 (1.61 - 1.93)
West	2007	1.88 (1.72 - 2.05)
West	2008	1.76 (1.61 - 1.92)

West	2009	1.69 (1.54 - 1.85)
West	2010	1.7 (1.54 - 1.85)
West	2011	1.73 (1.58 - 1.89)
West	2012	1.69 (1.53 - 1.84)
West	2013	1.66 (1.51 - 1.82)
West	2014	1.4 (1.26 - 1.54)
West	2015	1.58 (1.44 - 1.73)
West	2016	1.58 (1.43 - 1.73)
West	2017	1.52 (1.37 - 1.66)
West	2018	1.51 (1.37 - 1.66)
West	2019	1.51 (1.37 - 1.65)
West	2020	1.92 (1.76 - 2.08)
West	2021	2.02 (1.86 - 2.18)
West	2022	1.79 (1.64 - 1.94)
West	2023	1.45 (1.31 - 1.58)

Supplementary Table SVII. MI-related Age-Adjusted Mortality Rates per 100,000 in young adults, in United States stratified by Urban-Rural Classification, 1999-2020

	Age-Adjusted Rate (95% CI)	
Year	Urban	Rural
1999	3.33 (3.22 - 3.44)	6.97 (6.59 - 7.36)
2000	3.23 (3.12 - 3.34)	6.74 (6.36 - 7.11)
2001	3.28 (3.17 - 3.39)	6.97 (6.58 - 7.36)
2002	3.26 (3.15 - 3.37)	7.34 (6.93 - 7.74)
2003	3.29 (3.18 - 3.4)	7.36 (6.96 - 7.77)
2004	3.07 (2.97 - 3.18)	7.12 (6.72 - 7.52)
2005	3.04 (2.93 - 3.14)	7 (6.6 - 7.41)
2006	2.89 (2.79 - 3)	7.23 (6.82 - 7.64)
2007	2.71 (2.61 - 2.81)	6.62 (6.23 - 7.02)
2008	2.63 (2.53 - 2.73)	6.22 (5.83 - 6.61)
2009	2.42 (2.32 - 2.52)	6.26 (5.87 - 6.65)
2010	2.38 (2.29 - 2.48)	5.81 (5.43 - 6.19)
2011	2.31 (2.21 - 2.4)	6.42 (6.01 - 6.82)
2012	2.34 (2.24 - 2.44)	6.44 (6.04 - 6.85)
2013	2.24 (2.14 - 2.33)	6.09 (5.69 - 6.49)
2014	2.17 (2.07 - 2.26)	6.28 (5.87 - 6.68)
2015	2.19 (2.1 - 2.28)	6.34 (5.93 - 6.75)
2016	2.16 (2.07 - 2.25)	5.65 (5.26 - 6.04)

2017	2.09 (2 - 2.18)	5.97 (5.57 - 6.37)
2018	2.16 (2.07 - 2.25)	5.49 (5.11 - 5.87)
2019	2.13 (2.04 - 2.22)	5.19 (4.82 - 5.56)
2020	2.52 (2.42 - 2.62)	6.33 (5.92 - 6.74)